

Foshan Ultraton Engineering Machinery Co., Ltd

3 Axles 40ft Skeletal Container Transport Semi Truck Trailer



As an enhancement, Ultraton's 3
Axles 40ft Skeleton Semi Trailer
equipped with 3 pieces of semi-trailer
axles is very workable in container
transport. Extendable Chassis and
Multipurpose Container Trailer can be
modified according to the customer's
requirement.

Overview of 3 Axles 40ft Skeletal Container Transport Semi Truck Trailer

- Heavy duty and extra durability designed for main I beam
- Flange and web width & thickness could be customized
- Steel material we use is high strength low alloy steel Q345
- Specific auto hydraulic I beam straightening machine for more accuracy
- Welded by automatic submerged-arc process and skilled technicians. Complete chassis shot blasting to clean rust and remove welding stress
- Assembled on air pressure assembly platform to ensure stable and durable structure
- Superior quality and famous brand we use on specific different trailer parts. Details are outlined as below














Advantage of 3 Axles 40ft Skeletal Container Transport Semi Truck Trailer

1. Mature technology, could be produced in large quantity at competitive cost



Foshan Ultraton Engineering Machinery Co., Ltd

- 2. Lighter weight with high strength to transport container
- 3. Packing solution in CKD/ SKD/CBU is optional according to different project
- 4. Advanced manufacturing equipment and workmanship to ensure outstanding performance
- 5. Complete and flexible service from our professional team
- 6. Distinct location to get full range support on delivery and manufacturing
- 7. The long term tenet of Ultraton as one of the standout <u>semi trailer manufacturers</u> to be your reliable partner bringing you Greater value makes you worry free on after sales service



Technical Parameter	3 Axles 40ft Skeleton Container Transport Semi Truck Trailer
Tare Weight(KG)	5800KG
Loading Capacity(KG)	50000KG
Dimension(mm)	12400*2500*1500
Main Beam	The height of the beam is 500 mm, upper Flange is14mm, Lower Flange is 14mm, Web is 8mm.
Kingpin	2"/ 3.5",Welded/Bolt-In
Landing Gear	Standard 28Ton , FUWA Brand
Axle	Standard FUWA Brand / ULTRATON Brand
	Optional : BPW Brand or HuaJing Brand
Suspension	Mechanical Suspension/Air Suspension,Standard FUWA
	Brand/ULTRATON Brand
	Optional : BPW Brand or HuaJing Brand
Leaf Spring	Standard FUWA Brand/ULTRATON Brand
	90mm*16*7 or 90*16*8
Brake system	Dual Air Brake (Drum) System, With Inter-Locking Device.WABCO
	Relay
	Emergency Valve,OPTIONS: ABS.
Electrical System	24 Volt LED Electrical System In Accordance To The Standard,
	With 7-Core Adaptor For Tractor.
Tire	12.00R22.5 Tubeless,12 Units
Rim	9.0*22.5,12 Units
Shot Blasting & Painting	Shot Blasting and Sanding Treatment . Two Coat Of Anti
	Corrosion Primer and
	Two Coat Of Finish Painting



Foshan Ultraton Engineering Machinery Co., Ltd

Mud Guard	Fabricated Mud Guard 6 nos
Tool Box	1 Standard (The Tool Box Size Can Be Tailored To Suit Your Needs)
Container Locks	4/8/12 Screw type
Spare Tire Carrier	Equipped one sets per chassis without spare tire.
We Can Build The Trailer According To Customer's Design And Requirement.	

Application of 3 Axles 40ft Skeletal Container Transport Semi Truck Trailer

Ultraton's <u>3 axles 40ft Skeleton Semi Trailer</u> could be used to transport standard sizes of container in ports or from site to site on road. Suitable for logistic company, terminal ports, shipping lines, forwarders, truck manufacturer





















