

**ULTRATON**

Foshan Ultron Engineering Machinery Co., Ltd

### 3 axles 60 Ton Semi Side Dump Trailer



Ultron's 3 Axles 60 ton Semi Side Dump Trailer is an effective solution for the difficulty to turn around or needs to be changed with the direction of unloading. It can be modified according to customer's requirement.

#### Overview of 3 axles 60 Ton Semi Side Dump Trailer

- 16 manganese high strength steel is used in heavy duty and extra durability designed for main I beam, larger design than others of the same weight to balance stress better
- Flange and web width & thickness could be customized
- Optimized design with advanced computer-aided design software, finite element analysis of the frame according to vehicle load quality requirements
- Three-axle balanced design is equipped with a mass balance block between the front and rear leaf springs
- Welded by automatic submerged-arc process and skilled technicians. Complete chassis shot blasting to clean rust.
- Cargo boxes can be optional for ordinary rectangle cargo boxes, U-shaped boxes, mining buckets, and separate rear door or multiple doors cargo boxes
- Superior quality and famous brand we use on specific different trailer parts especially hydraulic cylinder. Details are outlined as below




**ULTRATON**

Foshan Ultraton Engineering Machinery Co., Ltd

**Advantage of 3 axles 60 Ton Semi Side Dump Trailer**

1. Different numbers and types of hydraulic cylinder is optional for solution
2. Unloading efficiency is greatly improved, the labor is saved, and the transportation cost is reduced
3. Shipped both by container, or RORO, bulk shipment
4. Nice and attractive appearance with our good workmanship
5. Fast response and flexible service from our professional team
6. Distinct location to get full range support on delivery and manufacturing
7. The long term tenet of Ultraton as one of the standout [semi trailer manufacturers](http://www.ultratontailer.com) to be your reliable partner bringing you Greater value makes you worry free on after sales service



Technical Parameter	Semi Side Dump Trailer
Tare Weight(KG)	9000KG
Loading Capacity(KG)	60000KG
Dimension(mm)	13000*2500*3400
Main Beam	The height of the beam is 500 mm, upper Flange is14mm, Lower Flange is 14mm,Web is 8mm.
Kingpin	2" / 3.5",Welded/Bolt-In
Landing Gear	Standard 28Ton , FUWA Brand
Axle	Standard FUWA Brand / ULTRATON Brand
	Optional : BPW Brand or HuaJing Brand
Suspension	Mechanical Suspension/Air Suspension,Standard FUWA Brand/ULTRATON Brand
	Optional : BPW Brand or HuaJing Brand
Leaf Spring	Standard FUWA Brand/ULTRATON Brand
	90mm*16*7 or 90*16*8
Brake system	Dual Air Brake (Drum) System, With Inter-Locking Device.WABCO Relay
	Emergency Valve,OPTIONS: ABS.
Electrical System	24 Volt LED Electrical System In Accordance To The Standard, With 7-Core Adaptor For Tractor.



Foshan Ultraton Engineering Machinery Co., Ltd

Tire	12.00R22.5 Tubeless,12 Units
Rim	9.0*22.5,12 Units
Shot Blasting & Painting	Shot Blasting and Sanding Treatment . Two Coat Of Anti Corrosion Primer and
	Two Coat Of Finish Painting
Mud Guard	Fabricated Mud Guard 6 nos
Tool Box	1 Standard (The Tool Box Size Can Be Tailored To Suit Your Needs)
Spare Tire Carrier	Equipped one sets per chassis without spare tire.
Front Baffle	According To Customer's Requirement
We Can Build The Trailer According To Customer's Design And Requirement.	

### Application of 3 axles 60 Ton Semi End Dump Trailer

Ultraton's [3 axles Semi Side Dump Trailer](#) could be used on road maintenance and for cargo with a small rest angle.

